



(Knowledge for Development)

KIBABII UNIVERSITY

UNIVERSITY EXAMINATIONS 2015/2016 ACADEMIC YEAR SECOND YEAR SECOND SEMESTER MAIN EXAMINATION

FOR THE DEGREE OF BACHELOR OF SCIENCE

MATHEMATICS

COURSE CODE:

MAT 201

COURSE TITLE: LINEAR ALGEBRA I

DATE:

10/5/16

TIME: 11.30AM -1.30PM

INSTRUCTIONS TO CANDIDATES

Answer Question One and Any other TWO Questions

TIME: 2 Hours

This Paper Consists of 4 Printed Pages. Please Turn Over.

QUESTION ONE (30 MKS)

(a) (i) Define a vector space over \mathbb{R} .

(3mks)

(ii) Suppose that the vector V is the set of positive real numbers $(i.e \ x > 0)$ with addition and scalar multiplication defined as follows,

x+y=xy and $cx=x^c$. Show that this set under this addition and scalar multiplication is a vector space. (6mks)

- (b) Show that the function $h(x) = 4x^2 + 3x 7$ lies in the space $span\{f,g\}$ generated by $f(x) = 2x^2 5$ and g(x) = x + 1. (3mks)
- (c) (i) Distinguish between linear dependence and independence.

(1mks)

(ii) Determine whether the set $\{(1,2,0), (0,1,-1), (1,1,2)\}$

is linearly dependent in \mathbb{R}^3 .

(2mks)

(d)Prove that $\{(1,3,-1),(2,1,0),(4,2,1)\}$ is a basis for \mathbb{R}^3 .

(3mks)

- (e) (i)Show that the row space and the column space of a matrix A have the same dimension. (4mks)
- (ii) Find the basis for the row space of the following matrix $A = \begin{pmatrix} 1 & 2 & 3 \\ 2 & 5 & 4 \\ 1 & 1 & 5 \end{pmatrix}$ and determine its rank.
- (f) (i) Define a linear transformation

(1mks)

- ii) Prove that the following transformation $T: \mathbb{R}^2 \to \mathbb{R}^2$ defined by T(x,y) = (2x, x+y) is linear. (2mks)
- (g) Define
 - i) Kernel

ii) Range

(2mks)

QUESTION TWO (20 MKS)

- (a) Find the kernel and the Range of the linear operator: T(x, y, z) = (x, y, 0). (3mks)
- (b) Determine the kernel and the Range of the transformation defined by the

$$matrix = \begin{pmatrix} 1 & 2 & 3 \\ 0 & -1 & 1 \\ 1 & 1 & 4 \end{pmatrix}. \tag{6mks}$$

(c) Given $T: U \to V$ is a linear transformation , show that

dimKer(T) + dimrange(T) = dimdomainT.

(7mks)

- (d) Consider the linear transformation : T(x, y, z) = (3x + 4y, 5x + 7y) of $\mathbb{R}^2 \to \mathbb{R}^2$.
- (i) Prove that T is invertible and find the inverse of T. (3mks)
 - (ii) Determine the pre-image of the vector (1,2).

(1mks)

QUESTION THREE (20 MKS)

(a) i) Define a vector subspace

(2mk)

- ii) Show that the set U of a 2 \times 2 diagonal matrices is a subspace of the vector space M_{22} of 2 \times 2 matrices .(3mks)
 - iii)Let W be a set of vectors of the form (a, a, a + 2).

Show that W is not a subspace of \mathbb{R}^3 .(3mks)

(b) i) Define a vector basis.

(2mks)

- ii) Let $\{v_1, \dots, v_n\}$ be a basis for a vector space V. If $\{w_1, \dots, w_n\}$ is a set of more than n vectors in V. Show that this set is linearly dependent. (3mks)
- (c) Prove the following
 - i) the origin is a subspace of \mathbb{R}^3 .
 - ii) the one dimensional subspaces of \mathbb{R}^3 are lines through the origin.
 - iii) the two dimensional subspaces of \mathbb{R}^3 are planes through the origin.(5mks)
- (d) Let $\mathbb{R}^n \to \mathbb{R}^n$ be defined by T(u) = A(u). Show that the range of T is spanned by the column vector of A. (3mks)

QUESTION FOUR (20MKS)

(a) Show that the linear transformation T is one-to-one if and only if the

kernel is a zero vector.

(4mks)

- (b) i) Define an invertible linear transformation on \mathbb{R}^n .
- ii) Let be a linear transformation of $\mathbb{R}^n \to \mathbb{R}^n$. Show that T is invertible if and only if it is singular, its inverse is unique and it is linear. (7mks)
- (c) i. Dfine a null space. (2mks)
 - ii. Show that a null space of an $m \times n$ matrix A is a subset of \mathbb{R}^n . (5mks)

QUESTION FIVE (20 MKS)

(a) Solve the following homogeneous system of linear equations. Interpret the set of solutions as a subspace and sketch the subspace of solutions.

$$x_1 + 2x_2 + 3x_3 = 0$$

$$-x_2 + x_3 = 0$$

$$x_1 + x_2 + 4x_3 = 0$$
 (7mks)

(2mks)

(a) Analyse the solutions to the following system of equations

$$x_1 - 2x_2 + 3x_3 + x_4 = 1x_2 + 2x_3 - x_4 = 4$$

$$3x_1 - 5x_2 + 5x_3 = 5$$

$$x_1 - x_2 - 2x_4 = 3$$
(6mks)

- (c) Consider the matrix $A = \begin{bmatrix} 1 & -1 & -2 \\ 2 & -3 & -5 \\ -1 & 3 & 5 \end{bmatrix}$. Compute the reduced echelon form of A. Discuss the implications of the answer.
- (d) . Find a matrix A such that W = ColA.

$$W = \left\{ \begin{bmatrix} 6a - b \\ a + b \\ -7a \end{bmatrix} : a, b \in \mathbb{R} \right\}$$
 (3mks)

END