



(Knowledge for Development)

KIBABII UNIVERSITY
UNIVERSITY EXAMINATIONS
2020/2021 ACADEMIC YEAR
FIRST YEAR SECOND SEMESTER
MAIN EXAMINATION
FOR THE DEGREE OF MASTER OF SCIENCE IN PURE
MATHEMATICS

COURSE CODE: MAT 824

COURSE TITLE: OPERATOR THEORY I

DATE: 23/07/21

TIME: 9.00AM - 12.00 pm

INSTRUCTIONS TO CANDIDATES

Answer Any other THREE Questions

TIME: 2 Hours

QUESTION ONE (20 MARKS)

- a. Show that if X is an inner product space then $\|x\|^2 = \langle x, x \rangle^{1/2}$ defines a norm on X . (5 marks)
- b. Show that in an inner product space, inner product is continuous. (5 marks)
- c. Show that every inner product space is uniformly convex (5 marks)
- d. Show that if $T \in B(H)$ then there is a unique $U \in B(H)$ such that $\langle Tx, y \rangle = \langle x, Uy \rangle$ for all $x, y \in H$ (5 marks)

QUESTION TWO (20 MARKS)

- a. Show that if $T \in B(H)$ and $\langle Tx, x \rangle = 0$ then $T = 0$ for all $x \in H$ (5 marks)
- b. Show that the Hilbert adjoint T^* is a bounded linear operator with $\|T^*\| = \|T\|$ (5 marks)
- c. Show that if M is a closed subspace of H then P_M is a projection having range M . (5 marks)
- d. Show that if M is a closed subspace of Hilbert space H and $x \in H$ then there is a unique element $y \in M$ and $z \in M^\perp$ such that $x = y + z$ (5 marks)

QUESTION THREE (20 MARKS)

Let $T, T_1, T_2 \in B(H)$ and $\alpha \in \mathbb{C}$. Show that

- a. $(T_1 + T_2)^* = T_1^* + T_2^*$ (4marks)
- b. $(\alpha T)^* = \bar{\alpha} T^*$ (3marks)
- c. $(T_1 T_2)^* = T_2^* T_1^*$ (3marks)
- d. $\|T^* T\| = \|T\|^2$ (10 marks)

QUESTION FOUR (20 MARKS)

- a. Let $T \in B(H,K)$. Show that there exists at most one operator $S \in B(K,H)$ such that $ST = I$ and $TS = I$ (3 Marks)
- b. Let $S \in B(H,K)^\times$ and $T \in B(K,L)^\times$. Show that the operator $TS \in B(H,L)^\times$, with $(TS)^{-1} = S^{-1}T^{-1}$ (4Marks)
- c. If $T \in B(H)$ is such that $\|T\| < 1$, show that $I - T$ is invertible and the series $\sum_{n=0}^{\infty} T^n = 1 + T + T^2 + \dots$ is absolutely convergent, its sum equals $(I - T)^{-1}$ and $\|(I - T)^{-1}\| \leq (1 - \|T\|)^{-1}$ (8 Marks)
- d. If $T \in B(H)$ is self adjoint i.e., $T = T^*$, show that $\rho(T) = \|T\|$. (5 marks)

QUESTION FIVE (20 MARKS)

- a. If $T \in B(H)_+$ is invertible, show that $T^{-1} \in B(H)_+$ (3Marks)
- b. Let $T \in B(H)^\times$ be invertible. Show that the square root $T^{\frac{1}{2}}$ is invertible and $(T^{-1})^{\frac{1}{2}} = \left(T^{\frac{1}{2}}\right)^{-1}$. (5 Marks)
- c. If $T \in B(H;K)$ is invertible show that $|T| \in B(H)^\times$ (2marks)
- d. Let $T \in B(H)^\times$. Show that T is invertible if and only if T is uniformly positive (10 marks)