

156



(Knowledge for Development)

KIBABII UNIVERSITY

UNIVERSITY EXAMINATIONS

2021/2022 ACADEMIC YEAR

FOURTH YEAR FIRST SEMESTER

MAIN EXAMINATION

FOR THE DEGREE OF BACHELOR OF EDUCATION AND

BACHELOR OF SCIENCE

COURSE CODE: MAA 415/MAA 418

COURSE TITLE: NUMERICAL ANALYSIS III/ NUMERICAL METHODS

DATE: 18/05/2022

TIME: 9:00 AM - 11:00 AM

INSTRUCTIONS TO CANDIDATES

Answer Question One and Any other TWO Questions

TIME: 2 Hours

This Paper Consists of 3 Printed Pages. Please Turn Over.

QUESTION ONE (COMPULSORY) (30 MARKS)

- (a) Given the Initial Value Problem $u' = t^2 + u^2$, $u(0) = 0$. Determine the first 3 non-zero terms in the Taylor series for $u(t)$ and hence get the value of $u(1)$. Also determine when the error in $u(t)$ obtained from the first two non-zero terms is to be less than 10^{-6} after rounding off. (8marks)
- (b) Solve $u_{xx} + u_{yy} = 0$ for the following square mesh with boundary conditions as shown in the figure below and their corresponding u_n^1 (8 marks)

0	11.1	17	19.7	18.6
0	u_1	u_2	u_3	21.9
0	u_4	u_5	u_6	21
0	u_7	u_8	u_9	17
0	8.7	12.1	12.8	9

- (c) Evaluate the integral using series expansion method

(4marks)

$$I = \int_0^1 \frac{e^x}{\sqrt{x}} dx$$

- (d) Evaluate the integral $I = \int_0^1 \frac{dx}{1+x}$ using the Gauss-Legendre two-point formulae.

(4marks)

- (e) Given the Boundary Value Problem $y'' = y'$; $y(0) = 1$, $y(1) = 2$. Solve

(6 marks)

QUESTION TWO

Solve the heat equation

$$\frac{\partial u}{\partial t} = \frac{\partial^2 u}{\partial x^2} \text{ subject to the initial and boundary conditions}$$

$$u(x, 0) = e^{-x^2 t} \sin \pi x, 0 \leq x \leq 1$$

$$u(0, t) = u(1, t) = 0$$

Using the following methods

- (i) The Schmidt method
- (ii) The laasonen method
- (iii) The Crank-Nicklson method

(6marks)

(7marks)

(7marks)

For $h = \frac{1}{3}$ and $k = \frac{1}{36}$, Intergrate upto two time levels.

QUESTION THREE

Solve the initial value problem $\dot{u} = 2tu^2$, $u(0) = 1$ with $h = 0.2$ over the interval $[0,1]$. Use the fourth order classical Runge-Kutta method. (20marks)

QUESTION FOUR

(a) Evaluate the integral of the following function

$$y = \int_0^{\pi} \sin x \, dx, \quad 0 \leq x \leq \pi, \quad h = \frac{\pi}{6}$$

i. Simpson's $\frac{1}{3}$ and $\frac{3}{8}$ rule

(4marks)

(b) Evaluate $I = \int_1^2 \int_1^2 \frac{dx dy}{x+y}$

Using trapezoidal rule with

i. $h = k = 0.5$

(6marks)

ii. $h = k = 0.25$

(10marks)

and modify the results using Romberg formulae

QUESTION FIVE

Solve the initial value problem

$$\dot{u} = -2tu^2, \quad u(0) = 1, \quad \text{with } h = 0.2 \text{ over the interval } [0,1]$$

Using

i. Forward Euler Method

(6marks)

ii. Backward Euler Method

(7marks)

iii. Midpoint Euler Method

(7marks)