



KIBABII UNIVERSITY

UNIVERSITY EXAMINATIONS 2020/2021 ACADEMIC YEAR

FIRST YEAR FIRST SEMESTER
SPECIAL/SUPPLEMENTARY EXAMINATIONS
FOR THE DEGREE OF B.ED (SCIENCE)

COURSE CODE: SCH 117

COURSE TITLE: FUNDAMENTALS OF CHEMISTRY

DATE: 30/09/2021

TIME: 2:00-4:00PM

INSTRUCTIONS TO CANDIDATES:

TIME: 2 Hours

Answer question ONE and any TWO of the remaining

KIBU OBSERVES ZERO TOLERANCE TO examination cheating

QUESTION ONE (30MARKS)	
1. (a) State the following principles and rule (3 r	marks)
i. Aufbau's principle	
ii. Pauli's exclusion principle	
iii. Hund's rule	
(b) Write the electronic configuration of the following elements (4nd	narks)
i. Platinum(78)	
ii. Aluminium(13)	
iii. Chromium (24)	
iv. Titanium (22)	
(c) An element X with RAM of 21.845 has three isotopes X_1 , X_2 and X_3 of masses 20, 22	and W.
Their relative abundances are 8.7, 89.4 and 1.9% respectively.	
	mark)
	marks)
(d) At different times scientists have proposed various descriptions or models of the a	
match experimental evidence available. The model that Bohr's proposed was called the	Bohr's
model.	
	marks)
	marks)
	marks)
	marks)
(S) man denotes many and some months and and an analysis of the some some some some some some some som	narks)
(h) Balance the following equation with the smallest whole number coefficients. What is t	
EXPRESENCE (1980) (1990	marks)
$PtCl_4 + XeF_2 \rightarrow PtF_6 + ClF + Xe$	200
(i) A 5.0 g sample of methanol, CH ₃ OH, was combusted in the presence of excess oxy	St. Committee
a bomb calorimeter containing 4000 g of water. The temperature of the water inc	
from 24.0 °C to 29.765°C. The heat capacity of the calorimeter was 2657 J/°	
specific heat of water is 4.184 J/g°C. Calculate E for the reaction in kJ/mol. (3nd	narks)
QUESTION TWO (20 MARKS)	
2. (I) (a) Briefly describe the Thomson's Atomic model experiment (Cathode ray experiment)	riment)
	marks)
	marks)
(c) State the two postulates of the Thomson's atomic model based on observation	
	marks)
	mark)
	marks)
(c) An electron is in one of the 3d orbitals. Give the possible values of n, 1 and ml to	
	marks)
	marks)
	,
Question Three (20 marks)	
3. (I) Distinguish between Mendeleev's and Moseley's periodic laws (2 r	marks)

- (II) In terms of structure and bonding explain the differences between diamond and graphite (5 marks)
- (III) According to valence bond theory, two or more atomic orbitals on a central atom in a molecule "mix" to form an equal number of hybrid orbitals. What is the orbital hybridization of central atom in the following compounds

 (3 marks)
 - a. CH₄
 - b. BF₃
 - c. BeF2
- (IV) (a) What are intermolecular forces?

(1 mark)

(b) Briefly describe the following intermolecular forces of attraction

(9 marks)

- i. Dipole-dipole attraction
- ii. Dispersion force.
- iii. Hydrogen bonding

QUESTION FOUR (20 MARKS)

- 4. (I) (a) Stepwise explain how you can one prepare 750 mL solution of 0.5 M H₂SO₄, from 2.5 M H₂SO₄ stock solution? (3 marks)
- (b) Using the equation 2 KBr (aq) + Pb (NO₃)₂ (aq) \rightarrow 2 KNO₃ (aq) + PbBr₂ (s) deduce;
 - (i) The ionic equation

(1 mark)

- (ii) With a reason identify the reducing agent and the oxidizing agent
- (2 marks)
- (II) If the volume of a sealed container is kept constant and the gas inside is heated to a higher temperature, the gas pressure increases. Explain (3 marks)
- (III) Briefly describe the two types of solids

(4 marks)

- (a) Amorphous solids
- (IV) (a) State Gay-Lussac's law

(1 mark)

- (b) Methane reacts with oxygen as per following reaction
- $CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$
- If 60 cm³ of methane was sparked with excess oxygen, determine the volume of residual gas at
- room temperature

(2 marks)

(V) Show that ideal gas equation is P V = n R T

(4marks)

QUESTION FIVE (20 MARKS)

5. (I) State Hess's law

(2 marks)

(II) Calculate the enthalpy for this reaction

(3 marks)

 $2C(s) + H_2(g) \rightarrow C_2H_2(g) \Delta H^\circ = ??? kJ$

Given the following thermochemical equations

 $C_2H_2(g) + 5/2O_2(g) \rightarrow 2CO_2(g) + H_2O(\ell) \Delta H^\circ = -1299.5 \text{ kJ}$

 $C(s) + O_2(g) \rightarrow CO_2(g) \Delta H^{\circ} = -393.5 \text{ kJ}$

 $H_2(g) + 1/2O_2(g) \rightarrow H_2O(\ell) \Delta H^\circ = -285.8 \text{ kJ}$

(III) (a) State Lechatelier's principle

(1 marks)

- (b) Using the equation below
- $N_2(g) + 3H_2(g) \leftrightarrow 2NH_3(g) \Delta H$ -ve

Explain the effect of the following on the position of the equilibrium

i. Increase in pressure

(2 marks)

0

ii. Decrease in temperature

(2 marks)

- (IV) Using hund's diagram explain whether the following elements are paramagnetic or diamagnetic (3 marks)
 - i. Chromium(24)
 - ii. Zinc(30)
- iii. Iron(26)
- (V) Using Mudulung rule, explain why 4S orbital is filled with electrons before the 3d orbital (2 marks)
- (VI) The solubility product of silver chromate (Ag₂CrO₄) is 9×10^{-12} . Calculate the solubility of silver chromate (2 marks)
- (VII) State any three factors that affect the rate of reaction

(3 marks)