



KIBABII UNIVERSITY

**UNIVERSITY EXAMINATIONS
2021/2022 ACADEMIC YEAR**

**SECOND YEAR SECOND SEMESTER
MAIN EXAMINATIONS**

FOR THE DEGREE OF B.SC CHEMISTRY AND B.SC BIOLOGY

COURSE CODE: SCH 221

COURSE TITLE: ANALYTICAL CHEMISTRY I

DATE: 9/05/2022

TIME: 2:00PM-4:00PM

INSTRUCTIONS TO CANDIDATES:

Answer **question ONE** and **any TWO** of the remaining

KIBABII observes ZERO tolerance to examination cheating

Question 1 [30 Marks]

- | | | |
|-------|---|-----------|
| i. | Identify 5 fields where analytical chemistry data may be utilized | [5 Marks] |
| ii. | Explain how the analytical chemistry is used to improve the quality of life | [3 Marks] |
| iii. | Importance of analytical chemistry in agriculture and human medicine | [4 Marks] |
| iv. | Explain the importance of sampling in analytical chemistry | [3 Marks] |
| v. | Describe the importance of chromatography | [2 Marks] |
| vi. | Define confidence interval | [2 Marks] |
| vii. | Differentiate between gravimetric and titration methods | [4 Marks] |
| viii. | Explain the difference between the equivalence point and end point | [4 Marks] |
| ix. | Describe analytical method validation | [3 Marks] |

Question 2 [20 Marks]

Glucose levels are routinely monitored in patients suffering from diabetes. The glucose concentrations in a patient were determined in different months by a spectrophotometric analytical method to determine the effectiveness of a low sugar diet.

- | | | |
|--|--|-----------|
| i. | Determine if there are outliers in the results for month 1 and 4 | [4 Marks] |
| ii. | Calculate the Pooled standard deviation (s) for the analysis | [6 Marks] |
| Assuming the pooled standard deviation is a good estimate for the population standard deviation (σ), determine the 80% and 95% confidence intervals for the | | |
| iii. | 1 st data entry (1108 mg/L glucose) | [2 Marks] |
| iv. | Mean values for each month | [8 Marks] |

Month	Glucose concentration, mg/L							
1	1108	1122	1075	1099	1115	1083	1100	
2	992	975	1022	1001	991			
3	788	805	779	822	800			
4	799	745	750	774	777	800	758	

Question 3 [20 Marks]

- i. Explain the difference between [8 Marks]
a. random and systematic error.
b. constant and proportional error.
c. absolute and relative error.
d. mean and median.
- ii. A construction worker sets out to measure the length of Auditorium C using a 3 m measuring tape. Determine two sources of each of the following errors [8 Marks]
a. Random error
b. Systematic error
- iii. Describe mitigation measures for the errors above [4 Marks]

Question 4 [20 Marks]

An iron ore was analyzed by dissolving a 1.1324g sample in concentrated HCl. The resulting solution was diluted with water, and the iron (III) was precipitated as the hydrous oxide $\text{Fe}_2\text{O}_{3,x}\text{H}_2\text{O}$ by the addition of NH_3 . After filtration and washing, the residue was ignited at a high temperature to give 0.5394 g of pure Fe_2O_3 .

Calculate

- i. The number of moles of Fe_2O_3 [4 Marks]
ii. the % Fe in the sample [8 Marks]
iii. the % Fe_3O_4 in the sample [8 Marks]

Question 5 [20 Marks]

- i. The reaction between ethanol and ethanoic acid takes about 6 hours at boiling point. The reaction achieves a conversion of approximately 70%.
a. Comment of the suitability of this reaction as a titration reaction [4 Marks]
b. Determine the titration method which would be suitable for the reaction and give reasons [4 Marks]
- ii. A solution of approximately 0.1 M HCl is standardized with Na_2CO_3 . 0.1472 g of Na_2CO_3 requires 23.7 mL of the HCl to reach endpoint. The HCl is then used to titrate a solution of NaOH. 25.0 mL of the base solution is titrated to endpoint by 15.9 mL of the acid. Determine the concentration of NaOH. [12 Marks]

Table of Critical Values of Q

N	Q_{crit} (CL: 90%)	Q_{crit} (CL: 95%)	Q_{crit} (CL: 99%)
3	0.941	0.970	0.994
4	0.765	0.829	0.926
5	0.642	0.710	0.821
6	0.560	0.625	0.740
7	0.507	0.568	0.680
8	0.468	0.526	0.634
9	0.437	0.493	0.598
10	0.412	0.466	0.568

Confidence Levels for Various Values of z

Confidence Level, %	Z
50	0.67
80	1.28
90	1.64
95	1.96
99	2.58
99.9	3.29

	Numerator degrees of freedom																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.46	19.47	19.48	19.49	19.50	
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	6.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

PERIODIC TABLE OF THE ELEMENTS

1		2		3		4		5		6		7		8		9		10	
IA	IIA	IA	IIA	IIIA	IVIA	IIIA	IVIA	IIIA	IVIA	IIIA	IVIA	IIIA	IVIA	IIIA	IVIA	IIIA	IVIA	IIIA	IVIA
H 1.008																			
Li 6.94	Be 9.01																		
Na 22.99	Mg 24.30																		
K 39.10	Ca 40.08	Sc 41.96	Ti 47.90	V 50.94	Cr 52.00	Mn 59.94	Fe 55.85	Co 58.93	Ni 58.69	Cu 63.55	Ga 65.39	Zn 69.72	Ge 72.59	As 74.92	Se 78.96	Br 79.90	Kr 83.80		
Rb 85.47	Sr 87.62	Y 88.91	Zr 91.22	Nb 92.91	Mo 95.94	Tc (98)	Ru 101.1	Rh 102.91	Pd 106.42	Ag 107.87	Cd 112.41	In 114.82	Sn 118.71	Sb 121.75	Te 127.60	I 126.91	Xe 131.29		
Cs 132.91	Ba 137.33	*La 138.91	Hf 178.49	Ta 180.95	W 183.85	Re 186.21	Os 190.2	Ir 192.2	Pt 195.08	Au 196.97	Hg 200.59	Tl 204.38	Pb 207.2	Bi 208.98	Po (209)	At (210)	Rn (222)		
Fr (223)	Ra 226.02	tAc 227.03	Rf (261)	Db (262)	Sg (266)	Bh (264)	Hs (277)	Mt (268)	Ds (271)	Rg (272)									

10
VIII A

2

He
4.00