



(Knowledge for Development)

# KIBABII UNIVERSITY UNIVERSITY EXAMINATIONS 2021/2022 ACADEMIC YEAR SECOND YEAR SUPPLEMENTARY EXAMINATION

FOR THE DEGREE OF BACHELOR OF SCIENCE

COURSE CODE: STA 211/STA 241

COURSE TITLE: STATISTICS AND PROBABILITY

DATE: FRI 20/07/2022

TIME: 2:00 PM - 4:00 PM

#### INSTRUCTIONS TO CANDIDATES

Answer Question One and Any other TWO Questions

TIME: 2 Hours

This Paper Consists of 3 Printed Pages. Please Turn Over.

### QUESTION 1: (30 marks)

- (a) Define the following terms as used in probability and statistics:
  - A random variable

(3 marks)

A probability function (ii)

(3 marks)

A cumulative distribution function (iii)

- (b) A process manufactures ball bearings whose diameters are normally distributed with mean 2.505 cm and standard deviation 0.008 cm. Specifications call for the diameter to be in the Interval  $2.5 \pm 0.01$  cm. What proportion of the ball bearings will NOT meet the specifications?
- (c) The lifetimes of batteries in a certain application are normally distributed with mean 50 hours and standard deviation 5 hours. Find the probability that a randomly chosen battery lasts,
  - Between 42 and 52 hours (i)

(4marks)

(ii) More than 60 hours

(4marks)

(iii) At most 55 hours

(4marks)

## QUESTION 2: (20 marks)

(a) For a Poisson distributed random variable, X with probability function,

$$f(x) = \frac{e^{-\lambda} \lambda^x}{x!}$$
 for x=0, 1, 2, 3,......

Show that the moment generating function for such a variable is given by

$$M_x(t) = e^{\lambda(e^t - 1)}$$
ssion of  $M_x(t)$  gives in  $\Omega(t)$  (8 marks)

- (b) Use the expression of  $M_x(t)$  given in 2(a) above to work out;
  - The expected value of X, E(X)

(4 marks)

(ii) The variance of X, Var(X)

Comment on the results obtained in 2b (i) and 2b (ii) in the immediate above.(3marks)

# QUESTION 3: (20 marks)

(a) If X has a binomial distribution with the parameters n and p, with probability function

$$P(X = x) = \binom{n}{x} p^x (1-p)^{n-x}$$
 for x=0,1,2,3,...,n, the expressions for:

Derive the expressions for:

- (i) E(X) (ii) Var(X) (4 marks) (6 marks) What happens to the probability distribution of X when n=1? (1 mark)
- (b) Suppose in a given experiment each air sample has a 10% chance of containing a particular rare molecule. Assume the samples are independent with regard to the presence of the rare molecule. Find the probability that in the next 18 samples;
  - (i) Exactly two samples contain the rare molecule.
     (ii) At most two samples contain the rare molecule.
     (iii) Between 1 and 4 samples contain the rare molecule
     (3marks)
     (3marks)
     (3marks)

#### QUESTION 4: (20 marks)

(a) Consider a random variable X to be normally distributed with moment generating function,  $M_x(t)$  given by

$$M_x(t) = e^{\mu t + \frac{\sigma^2 t^2}{2}}$$

Show that;

(i)  $E(X) = \mu$ (ii)  $Var(X) = \sigma^2$ 

(ii)  $Var(X) = \sigma^2$  (8 marks) (b) When  $\mu = 0$  and  $\sigma^2 = 1$ , what would be the distribution of X? (1 mark)

(c) Suppose that the amount of cosmic radiation to which a person is exposed when flying by jet across Kenya is a random variable having a normal distribution with a mean of 4.35 mrem and a standard deviation of 0.59 mrem. What is the probability that a person will be exposed to more than 5.20 mrem of cosmic radiation on such a flight?. (5 marks)

#### QUESTION 5: (20 marks)

(a) Let  $\overline{X}$  and  $S^2$  be the mean and the variance of a random sample of size n from a normal population with mean,  $\mu$  and the variance,  $\sigma^2$ . Prove that,

$$T = \frac{\overline{X} - \mu}{S / \sqrt{n}}$$

has the t distribution with (n-1) degrees of freedom

(10)

(b) In 16 one-hour test runs, the gasoline consumption of an engine averaged 16.4 gallons with a standard deviation of 2.1 gallons. Test the claim that the average gasoline consumption of this engine is 12.00 gallons per hour. (7 marks)

(c) If  $S_1^2$  and  $S_2^2$  are the variances of independent random samples of size  $n_1$  and  $n_2$  from normal populations with variances  $\sigma_1^2$  and  $\sigma_2^2$ , write an expression for the F distributed random variable, F. (3marks)