


(B)



# KIBABII UNIVERSITY

UNIVERSITY EXAMINATIONS  
2021/2022 ACADEMIC YEAR

SECOND YEAR SECOND SEMESTER  
SUPPLEMENTARY/SPECIAL EXAMINATIONS

FOR THE DEGREE OF B.SC CHEMISTRY AND B.SC BIOLOGY

**COURSE CODE:** SCH 221

**COURSE TITLE:** ANALYTICAL CHEMISTRY I

**DATE:** 25/07/2022

**TIME:** 8:00AM-10:00AM

---

**INSTRUCTIONS TO CANDIDATES:**

Answer question ONE and any TWO of the remaining

KIBABII observes ZERO tolerance to examination cheating

### **Question 1 [30 Marks]**

- i. Highlight 2 reasons why it is important to validate an analytical method [4 Marks]
- ii. Identify 5 types of errors in analytical measurements [5 Marks]
- iii. Determine the steps to be followed in the collection and analytical determination of a sample [3 Marks]
- iv. Discuss the importance of fundamental analysis
- v. Differentiate between the sample and population standard deviation
- vi. Describe two examples when it would be appropriate to apply gravimetric and titration analysis respectively [6 Marks]
- vii. Describe gross error and how to mitigate against them [4 Marks]
- viii. Determine the type of error that would be avoided by proper calibration [4 Marks]
- ix. Explain the importance of the mean in statistical analysis [2 Marks]
- 

### **Question 2 [20 Marks]**

- i. Define constant and proportional errors in relation to absolute and relative errors
- ii. In a titration experiment, the indicator color change is observable after an overtitration of 0.03 mL. Calculate the relative error if the volume of titrant is
  - a. 50.00 mL
  - b. 10.0 mL
  - c. 25.0 mL
  - d. 30.0 mL[8 Marks]
- iii. Describe the source of the above error and possible mitigation measures [6 Marks]

### **Question 3 [20 Marks]**

Your team has been asked to review the health effects of borehole water use on livestock and human health in a certain community

- i. Identify 2 possible research problems to be studied [4 Marks]
- ii. List the possible hypotheses for each problem and the entire study [6 Marks]
- iii. Describe the type of samples to be collected for the study [4 Marks]
- iv. Determine the types of analysis of analysis to be employed and their applications in the study [6 Marks]

### **Question 4 [20 Marks]**

- i. Define back-titration
- ii. A 0.649-g sample containing only  $K_2SO_4$  (174.27 g/mol) and  $(NH_4)_2SO_4$  (132.14 g/mol) was dissolved in water and treated with  $Ba(NO_3)_2$  to precipitate all sulfate as  $BaSO_4$  (233.39 g/mol). If 0.977 g of precipitate was formed, what is the mass percent  $K_2SO_4$  in the

sample?  
Marks] [18

**Question 5 [20 Marks]**

- i. During a gravimetric analysis experiment to determine the salt (NaCl) content of a chicken soup sample, a precipitate of silver chloride was produced, dried and weighed.
  - a. Identify three sources of error in the analysis [6 Marks]
  - b. Describe how each error would affect the obtained results [9 Marks]
- ii. Explain why proper sample handling is important [5 Marks]

<sup>1</sup> <b>H</b> 1.008	<sup>2</sup> <b>He</b> 4.00	<sup>3</sup> <b>Li</b> 6.94	<sup>4</sup> <b>Be</b> 9.01	<sup>5</sup> <b>B</b> 10.81	<sup>6</sup> <b>C</b> 12.01	<sup>7</sup> <b>N</b> 14.1	<sup>8</sup> <b>O</b> 16.00	<sup>9</sup> <b>F</b> 19.00	<sup>10</sup> <b>Ne</b> 20.18
<sup>11</sup> <b>Na</b> 22.99	<sup>12</sup> <b>Mg</b> 24.30	<sup>3</sup> <b>Sc</b> 40.08	<sup>4</sup> <b>Ti</b> 41.96	<sup>5</sup> <b>V</b> 50.94	<sup>6</sup> <b>Cr</b> 52.00	<sup>7</sup> <b>Mn</b> 59.94	<sup>8</sup> <b>Fe</b> 55.85	<sup>9</sup> <b>Co</b> 58.93	<sup>10</sup> <b>Ni</b> 58.69
<sup>19</sup> <b>K</b> 39.10	<sup>20</sup> <b>Ca</b> 40.08	<sup>21</sup> <b>Sc</b> 41.96	<sup>22</sup> <b>Ti</b> 47.90	<sup>23</sup> <b>V</b> 50.94	<sup>24</sup> <b>Cr</b> 59.94	<sup>25</sup> <b>Mn</b> 59.94	<sup>26</sup> <b>Fe</b> 55.85	<sup>27</sup> <b>Co</b> 58.93	<sup>28</sup> <b>Ni</b> 63.55
<sup>37</sup> <b>Rb</b> 85.47	<sup>38</sup> <b>Sr</b> 87.62	<sup>39</sup> <b>Y</b> 88.91	<sup>40</sup> <b>Zr</b> 91.22	<sup>41</sup> <b>Nb</b> 92.91	<sup>42</sup> <b>Mo</b> 95.94	<sup>43</sup> <b>Tc</b> (98)	<sup>44</sup> <b>Ru</b> 101.1	<sup>45</sup> <b>Rh</b> 102.91	<sup>46</sup> <b>Pd</b> 106.42
<sup>55</sup> <b>Cs</b> 132.91	<sup>56</sup> <b>Ba</b> 137.33	<sup>57</sup> <b>*La</b> 138.91	<sup>72</sup> <b>Hf</b> 178.49	<sup>73</sup> <b>Ta</b> 180.95	<sup>74</sup> <b>W</b> 183.85	<sup>75</sup> <b>Re</b> 186.21	<sup>76</sup> <b>Os</b> 190.2	<sup>77</sup> <b>Ir</b> 192.2	<sup>78</sup> <b>Pt</b> 195.08
<sup>87</sup> <b>Fr</b> (223)	<sup>88</sup> <b>Ra</b> 226.02	<sup>89</sup> <b>*Ac</b> 227.03	<sup>104</sup> <b>Rf</b> (261)	<sup>105</sup> <b>D<sub>b</sub></b> (262)	<sup>106</sup> <b>S<sub>g</sub></b> (266)	<sup>107</sup> <b>B<sub>h</sub></b> (264)	<sup>108</sup> <b>H<sub>s</sub></b> (277)	<sup>109</sup> <b>M<sub>t</sub></b> (268)	<sup>110</sup> <b>D<sub>s</sub></b> (271)
									<sup>111</sup> <b>R<sub>g</sub></b> (272)

## PERIODIC TABLE OF THE ELEMENTS

<sup>1</sup> <b>IA</b>		<sup>2</sup> <b>IIA</b>		<sup>3</sup> <b>III A</b>		<sup>4</sup> <b>IV A</b>		<sup>5</sup> <b>V A</b>		<sup>6</sup> <b>VI A</b>		<sup>7</sup> <b>VII A</b>		<sup>2</sup> <b>He</b> 4.00			
<sup>19</sup> <b>K</b> 39.10	<sup>20</sup> <b>Ca</b> 40.08	<sup>21</sup> <b>Sc</b> 41.96	<sup>22</sup> <b>Ti</b> 47.90	<sup>23</sup> <b>V</b> 50.94	<sup>24</sup> <b>Cr</b> 59.94	<sup>25</sup> <b>Mn</b> 59.94	<sup>26</sup> <b>Fe</b> 55.85	<sup>27</sup> <b>Co</b> 58.93	<sup>28</sup> <b>Ni</b> 58.69	<sup>29</sup> <b>Cu</b> 63.55	<sup>30</sup> <b>Zn</b> 65.39	<sup>31</sup> <b>Ga</b> 69.72	<sup>32</sup> <b>Ge</b> 72.59	<sup>33</sup> <b>As</b> 74.92	<sup>34</sup> <b>Se</b> 78.96	<sup>35</sup> <b>Br</b> 79.90	<sup>36</sup> <b>Kr</b> 83.80
<sup>37</sup> <b>Rb</b> 85.47	<sup>38</sup> <b>Sr</b> 87.62	<sup>39</sup> <b>Y</b> 88.91	<sup>40</sup> <b>Zr</b> 91.22	<sup>41</sup> <b>Nb</b> 92.91	<sup>42</sup> <b>Mo</b> 95.94	<sup>43</sup> <b>Tc</b> (98)	<sup>44</sup> <b>Ru</b> 101.1	<sup>45</sup> <b>Rh</b> 102.91	<sup>46</sup> <b>Pd</b> 106.42	<sup>47</sup> <b>Ag</b> 107.87	<sup>48</sup> <b>Cd</b> 112.41	<sup>49</sup> <b>In</b> 114.82	<sup>50</sup> <b>Sn</b> 118.71	<sup>51</sup> <b>Sb</b> 121.75	<sup>52</sup> <b>Te</b> 127.60	<sup>53</sup> <b>I</b> 126.91	<sup>54</sup> <b>Xe</b> 131.29
<sup>55</sup> <b>Cs</b> 132.91	<sup>56</sup> <b>Ba</b> 137.33	<sup>57</sup> <b>*La</b> 138.91	<sup>72</sup> <b>Hf</b> 178.49	<sup>73</sup> <b>Ta</b> 180.95	<sup>74</sup> <b>W</b> 183.85	<sup>75</sup> <b>Re</b> 186.21	<sup>76</sup> <b>Os</b> 190.2	<sup>77</sup> <b>Ir</b> 192.2	<sup>78</sup> <b>Pt</b> 195.08	<sup>79</sup> <b>Au</b> 196.97	<sup>80</sup> <b>Hg</b> 200.59	<sup>81</sup> <b>Tl</b> 204.38	<sup>82</sup> <b>Pb</b> 207.2	<sup>83</sup> <b>Bi</b> 208.98	<sup>84</sup> <b>Po</b> (209)	<sup>85</sup> <b>At</b> (210)	<sup>86</sup> <b>Rn</b> (222)

Table of Critical Values of Q

N	$Q_{\text{crit}}$ (CL: 90%)	$Q_{\text{crit}}$ (CL: 95%)	$Q_{\text{crit}}$ (CL: 99%)
3	0.941	0.970	0.994
4	0.765	0.829	0.926
5	0.642	0.710	0.821
6	0.560	0.625	0.740
7	0.507	0.568	0.680
8	0.468	0.526	0.634
9	0.437	0.493	0.598
10	0.412	0.466	0.568

Confidence Levels for Various  
Values of z

Confidence Level, %	Z
50	0.67
80	1.28
90	1.64
95	1.96
99	2.58
99.9	3.29

	Numerator degrees of freedom																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	6.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
$\infty$	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00