



# **KIBABII UNIVERSITY**

## UNIVERSITY EXAMINATIONS 2021/2022ACADEMIC YEAR

FOURTH YEAR SECOND SEMESTER SUPPLIMENTARY EXAMINATIONS

FOR THE DEGREE OF BSC (PHYSICS)

COURSE CODE:

**SPC 422** 

**COURSE TITLE:** 

STATISTICAL MECHANICS

**DURATION: 2 HOURS** 

DATE: 24/11/2022

TIME: 2:00PM-4:00PM

#### INSTRUCTIONS TO CANDIDATES

Answer QUESTION ONE (Compulsory) and any other two (2) Questions.

- Indicate answered questions on the front cover.

Start every question on a new page and make sure question's number is written on each page This paper consists of 4 printed pages. Please Turn Over

KIBU observes ZERO tolerance to examination cheating

**QUESTION ONE [30 Marks]** 

- Differentiate between statistical mechanics and quantum mechanics. What do you understand by the term statistical ensemble? State the three laws of thermodynamics 3 Mari d) Define the following terms: (i) phase path (ii) phase-space (iii) phase point as used in statistical 3 Marks e) Differentiate between macroscopic and microscopic systems. Give examples [3 Marks] f) Define the term density matrix [3 Marks] g) Define entropy as used in classical micro-canonical ensemble and demonstrate that it is an [2 Marks] h) A substance weighing 10 kg at temperature -50° C melts at 0°. Compute its change in entropy. [4 Marks] Comment with reasons weather there is an increase in entropy or not. i) Explain why no phase path representing a dynamical state can never cross itself. [4 Marks] j) Discuss Heisenberg's uncertainty principle and show that it is impossible to have sharp phase [3 Marks]
  - **QUESTION TWO [20 Marks]**

[3 Marks]

a) Write brief notes on the following based on classical statistical mechanics stating the equation of density matrix or partition function in each case:

	i)	Uniform ensemble		
	ii)	Isobaric ensemble		[4 Marks]
i	iii)	Micro-canonical ensemble		[4 Marks]
	iv)	Canonical ensemble		[4 Marks]
		Grand Canonical ensemble		[4 Marks]
				[4 Marks]

**QUESTION THREE [20 Marks]** 

- a) If entropy, S is defined as  $S = KlogC_{Class}$  where  $C_{Class}$  stands for classical count; the most probable distribution is given by  $n_i = \omega_i e^{-(\alpha + \beta \epsilon_i)}$ , where  $\beta = \frac{1}{KT}$  and  $e^{\alpha} = \frac{V}{Nh^3} (2m\pi KT)^{\frac{3}{2}}$ , derive an expression for the ideal gas equation, i.e show that PV = NKT
- b) Derive expressions for the internal energy, E and enthalpy, H in terms of the partition function, [8 Marks]

## **QUESTION FOUR [20 Marks]**

- a) Write down the equations of motion of a phase point considering the motion of an oscillator in phase space.
   [3 Marks]
- b) Show that the orbit in phase space of a simple linear harmonic oscillator is an ellipse and that its period, T in phase space is equal to the area of the phase ellipse divided by the energy, E of the oscillator.

  [10 Marks]
- c) Using Hamilton's equations show that the path of the body falling under gravity is a parabola.

[7 Marks]

### **QUESTION FIVE [20 Marks]**

a) Derive the expression for C<sub>B-E</sub>.

[8 Marks]

b) Show that if the basic vectors are a set of energy eigen functions, then the probability that a system chosen at random from the canonical ensemble will be found in the energy state E<sub>n</sub> is:

$$\rho_n = \frac{1}{O}e^{-\beta E_n}$$

[8 Marks]

c) Show that Q is invariant under a change of basic vectors.

[4 Marks]